CATALOGUE C.

Revised Price-List, January 1, 1899.

James H. Roberts & Co.,

(ESTABLISHED IN 1862.)

MANUFACTURERS AND DEALERS IN

Shafting, Pulleys, Hangers, Belting.



Roberts' Patent Friction Clutch.
BOILERS and ENGINES.

NEW ENGLAND AGENTS FOR THE

REEVES WOOD SPLIT PULLEY.

137 PORTLAND STREET, BOSTON, MASS.

TELEPHONE, 499 HAYMARKET.

Factory, Cor. Second and Charles Sts., East Cambridge.



CATALOGUE C.


Revised Price-List, January 1, 1899.

James H. Roberts & Co.,

(ESTABLISHED IN 1862.)

MANUFACTURERS AND DEALERS IN

Shafting, Pulleys, Hangers, Belting.



Roberts' Patent Friction Clutch.
BOILERS and ENGINES.

NEW ENGLAND AGENTS FOR THE

REEVES WOOD SPLIT PULLEY.

137 PORTLAND STREET, BOSTON, MASS.

TELEPHONE, 499 HAYMARKET.

Factory, Cor. Second and Charles Sts., East Cambridge.


E. ARTHUR TUTEIN,
PRINTER,
REVERE, MASS.

SHAFTING.

Diam.	Weight per ft.	Diam.	Weight per ft.	Diam.	Weight per ft.
16 % % % % % % % % % % % % % % % % % % %	.095 .167 .259 .370 .510 .666 .843 1.05 1.25 1.50 1.757 2.03 2.34 2.64 3.00 3.33	1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2½	6,00 6 52 7.04 7.60 8.16 8.78 9.39 10.00 10.65 11.15 12.07 12.79 13.49 14.00 15.07 15.83 16.68 17.55 18.32	313 314 324 325 325 327 316 317 311 314 414 414 414	24.58 26.09 27.16 28.24 29.40 30.43 31.50 32.64 35.20 36.40 37.45 39.85 41.04 42.50 48.26 52.62 54.11
$\begin{array}{c} 1_{16}^{3} \\ 1_{14}^{1} \\ 1_{16}^{5} \\ 1_{16}^{3} \\ 1_{16}^{7} \end{array}$	3.74 4.16 4.61 5.048 5.50	23/4 213/6 27/8 215/6 3	20.18 21.15 22.09 22.96 24.06	43/4 415 5	60.88 65.50 67.50

BOXING AT COST.


COMPLETE STOCK IN STORE.







Floor Stand.



Pedestal Box.

REVISED PRICE-LIST, JANUARY 1, 1898,

-- OF ---

Roberts' Improved Hangers and Floor Stands, with self-oiling boxes.

Drop	Size of Box. Inches.	Price.	Drop	Size of Box. Inches.	Price.	Drop	Size of Box. Inches.	Price.		
8 in.	1 3-16	\$3.30	12 in.	2 3-16	\$7.20	24 in.	2 11-16	\$18.00		
10 "	46	3.60	14 "	e 6	7.50	9 "	2 15-16	9.50		
8 "	1 5-16	3.40	16 "	66	8.00	12 "	66	11.00		
10 "	6.6	3.75	18 "	6.6	8.40	14 "	66	13.75		
8 "	1 7-16	3.75	20 "	66	9.75	16 "	66	14.25		
10 "	6.6	3.90	22 "	6.6	10.75	18 "	- 6-6	15.00		
12 "	66	4 00	8 "	2 7-16	9.00	20 "	6.6	15.75		
14 "	. 66	4.20	12 "	66	9.50	22 "	66	16.50		
16 "	"	4.50	14 "	6.6	9.80	24 "	66	18.25		
8 "	1 11-16	4.50	16 "	66	10.20	14 "	3 7-16	18.25		
10 "	66	4.60	18 "	66	10.75	16 "	6.6	20.00		
12 "	66	4.80	20 "	6.6	11.50	18 "	6.6	22.00		
14 "	66	5.10	22 "	6.6	12.50	20 "	6.6	25,00		
16 "	6.6	5,40	24 "	6.6	13.50	22 "	6.6	26.75		
8 "	1 15-16	5.00	9 "	2 11-16	9.25	24 "	6.6	28.50		
10 "	66	5.55	12 "	6.6	10.30	14 "	3 15-16	20.00		
12 "	6.6	5.70	14 "	6.6	11.12	16 "	6.6	22.00		
14 "	6.6	6.20	16 "	66	12.00	18 "	6.6	23.50		
16 "	6.6	6.70	18 "	66	13.12	20 "	66	25,00		
18 "	46	8.25	20 16	6.6	14.25	22 "	66	26.75		
8 "	2 3-16	6.75	22 "	6.6	16.00	24 "	66	28.50		
10 "	66	7.00								
						1				

POST HANGERS.

Diameter.	Price.	Diameter.	Diameter.	Price,	
1 5-16 in.	\$4.00	1 15-16 in.	\$7.00	2 15-16 in.	\$15.00
1 7-16 "	5.00	2 3-16 "	7.90	3 7-16 "	19.00
1 11-16 "	6.00	2 7-16 "	9.80	3 15-16 "	21.00

PEDESTAL BOXES.

Diameter.	Price.	Diameter.	Price.	Diameter.	Price.
1 3-16 in. 1 5-16 " 1 7-16 " 1 11-16 "	\$3.00 3.25 3.40 4.13	1 15-16 in. 2 3-16 " 2 7-16 " 2 15-16 "	\$4.88 5.63 6.75 8.25	3 7-16 in. 3 15-16 " 4 15-16 "	\$12.00 15.00 23.00

PRICE LIST OF Roberts' Clamp or Vise Couplings.



ROBERTS' ADJUSTABLE VICE COUPLINGS. PRICE-LIST OF

Size.	Price.	Size.	Price.	Size.	Price.					
1 5-16 in. 1 7-16 '' 1 11-16 '' 1 15-16 '' 2 3-16 ''	\$4.00 4.20 5.00 6.25 7.50	2 7-16 in. 2 11-16 " 2 15-16 " 3 3-16 " 3 7-16 "	\$ 9 00 11.50 13 25 15.00 18.00	3 15-16 in. 4 7-16 " 4 15-16 " 5 7-16 " 5 15-16 "	\$24.00 30.00 40.00 47.00 58.00					

Sellers' Adjustable Couplings.
We keep constantly on hand a full line of Sellers' Couplings, which we will sell at very low prices.

Price-List of Sellers' Adjustable Couplings.


Diameter.	Price.	Diameter.	Price.	Diameter.	Price.
15-16 in. 1 3-16 " 1 5-16 " 1 7-16 " 1 11-16 " 1 15-16 "	\$4.25 4.75 5.25 5.75 6.50 8.25	2 3-16 in. 2 7-16 " 2 11-16 " 2 15-16 " 3 7-16 "	\$10.00 12.00 14.75 17.50 24.00	3 15-16 in. 4 7-16 '' 4 15-16 '' 5 7-16 '' 5 15-16 ''	\$32 00 41.75 53.25 65.00 76.50

FLANGE=FACED COUPLINGS.

Fitted with Bolts and Keys.




of Shaft	Pair not	Pair Fitted	Diameter of Shaft in Inches	Pair not	Price per Pair Fitted to Shaft.
15-16 1 3-16 1 5-16 1 7-16 1 11-16 1 15-16 2 3-16 2 7-16 12 11-16	\$3.50 3.75 4.00 4.25 4.50 6.00 7.00 8.50 11.00	\$6.50 6.75 7.00 7.25 7.50 9.00 10.50 12.50	2 15-16 3 3-16 3 7-16 3 15-16 4 7-16 4 15-16 5 7-16 5 15-16	\$13.50 16.00 18.00 24.00 33.00 43.00 50.00 60.00	\$18.50 22.00 25.00 32.50 42.00 53.50 63.50 77.00



JAW CLUTCH.

Wall Frame and Self=Oiling Pillow Block.



Our Wall Frames are Furnished with self-oiling, rigid or adjustable boxes. We will furnished without Fire Doors if required.

RIGID BOX.



Self=Oiling Bracket Pillow Block.



Size.	Price.
1 7-16 in.	\$4.00
1 11-16 "	5.50
1 15-16 "	6,40
2 3-16 "	7.60
2 7-16 "	8.75
2 15-16 ''	10.25
	<u> </u>

SAFETY COLLARS.


Fitted with Set Screws.


Size.				Price of Each.			Price of Each				
1	3-16	inches			80.75	3	3-16	inches			\$3 25
1	7-16	4.6			1.00	3	7-16	4.6			3.75
1	11-16	6.6			1.25	3	15-16	6.6			4.25
1	15-16	6.6			1.50	1	7-16	4.6			5.01
2	3-16	6.6			1.88	1	15-16	6.6			6.5)
2	7-16	6.6			2 15	5	7-16	6.6			8.00
2	11-16	6.6			2.50	5	15-16	6.6			10.50
2	15-16	6.4			2.95						

REMARKS.—We keep in stock a complete assortment of both Solid and Clamp Safety Collars, and are prepared to fill order-promptly.

For prices of Split Collars, addi50 per cent to above list.

THE ROBERTS Patent Friction Clutch Pulley.






Is simple, durable and reliable; is self oiling with interchangeable bushing, and can be used with wood or iron pulleys. Diameter of pulley can be changed without interfering with clutch mechanism. Every clutch guaranteed. Investigate carefully before purchasing.

(For details of Clutch, see page 9.)

THE ROBERTS Patent Friction Clutch.



CAN BE USED FOR CUT-OFF COUPLING OR CLUTCH PULLEY.

Its simple construction recommends it. The flanges are faced, giving perfect contact with each other, the outside of the flanges or discs being finished to an angle of 20 degrees with four shoes covering nearly the entire circumference. The shoes are forced toward the centre by the levers as shown, wedging the faces of the flanges together. This makes a double friction as the surfaces of the shoes are added. One can readily see that all wear and strain is toward the centre, and the shoes upon the periphery of the discs make it self-centering, thus overcoming, the principal difficulty met with in other makes.

Price List of the Roberts Patent Friction Cut-Off Couplings.


Patented in United States and Canada.

Diameter of Friction.		Constructed according to speed of shaft to transmit horse-power as below.	Spa for an	ice on Shaft r Coupling d Shipper	Price. To cut off or connect when in motion.
6	inches.	4	7	inches.	\$ 30
8	"	5	8	66	40
9	66	6	10	44	50
10	4.6	8	12	66	65
12	"	12	20	44	100
13 1	**	20	20	66	125
15	66	35	20	66	150
18	4.4	60	24	6.6	175
21	66	100	24	44	200
24	6.6	150	24	6.6	. 300
30	"	300	30	44	400
36	44	500	34	66	500
42	6.6	750	36	66	650
48	66	1000	42	44	800

Shippers for cut-off couplings and friction pulleys, extra. Self-oiling bushings for loose pulleys, extra. Price for any size coupling furnished upon application. Orders for cut-off couplings or friction pulleys should specify diameter of shafting, speed and power required.

ROBERTS

Patent Self-Oiling Mule Stand.




This Mule Stand is Self-Oiling and perfectly reliable; will run three months without oiling and


WILL NOT THROW OIL.

Guaranteed to be absolutely satisfactory.

PRICES ON APPLICATION.

The Shaw Patent Compression Flange Coupl






13-16 15-16 17-16 111-16 15-16 23-16 27-16 211-16 215-16 33-16 375-16 315-16 47-16 415-16 57-16 315-16 103m.
51-4 51-4 51-4 57-8 61-1 75-8 77-8 81-4 9 91-2 93-4 103-8 101-2 123-4 miches Inches Lbs. 10 1-4 11 3-4 13 × 1-8 7 1-2 7 3-4 30 5 7.8 F-1 9 4 1-5 Jutside Diam Length of of Shell

The same as above, the size being estimated according to the size of the larger shaft which the coupling fits Regular Reduction.

条4.75 美5.00 美5.50 美6.25 美8.00 美9.00 美10.75 美13.00 年16.00 年19.00 美23.00 美30.00 美42.00 美55.00 美55.00 美56.00 医ach

CLIMBER TIGHT and LOOSE PULLEYS.



For price of Climber Tight and Loose, with Loose Bushing, as shown above, take regular discount on the tight pulley; list for the loose, no discount.

We take pleasure in calling attention to our Climber Loose Pulley with Interchangeable Self-Oiling Bushing. Its diameter is reduced that the tension may be taken off the belt, thus reducing friction on the bushing, allowing the belt to ship easily without injury to its edge. The hub of the pulley is chambered in the center and the bushing perforated; the chamber is carefully packed with wool. The outside diameter of the bushings are standard sizes, consequently the bushings can be replaced by any competent machinist at small expense. This saves time, which is often valuable, as well as expense of a new pulley.

HOW TO ORDER PULLEYS.

Give diameter and face.


State whether face is to be flat or crowning.

Flat is for shifting, and crowning for non-shifting belts. Give *exact* bore, and if it is not in odd sixteenths of an inch, state that the size given is exact.

Do not write 2 inches if 1 15-16 is meant, and do not order it "full" or "scant." If not standard size, send a piece of wire filed to exact size.

For shifting belts, the driving pulleys should have straight faces. Tight and loose pulleys should have crowning faces.

WHOLE IRON PULLEYS.



WRITE FOR DISCOUNTS.

Bored, turned and balanced, with set screws or key seats.

-											
Diameter in Inches.	Width of Face in Inches.	Single Belt.	Diameter in Inches.	Width of Face in Inches.	Single Belt.	Diameter in Inches.	Width of Face in Inches.	Single Belt.			
6	3 4 5 6 7 8 9 10 12	\$1.50 1.75 2.00 2.25 2.50 2.75 3.25 3.75 4.50	10	7 8 9 10 12 14 3 4	\$3.80 4.10 4.50 5.00 5.60 6.40 2.90 3.10	14	6 7 8 '9 10 12 14 16	\$4,50 4,90 5,20 5,70 6,10 7,10 8,30 9,50			
7	3 4 5 6 7 8 9 10 12	1.70 1.90 2.10 2.50 2.95 3.35 3.75 4.25 5.75		3 4 5 6 7 8 9 10 12 14 16	2.90 3.10 3.45 3.80 4.10 4.40 4.70 5.25 5.90 6.80 8.00	15	3 4 5 6 7 8 9 10 12 14 16	3.70 4.00 4.30 4.70 5.10 5.50 6.00 6.50 7.50 8.80 10.20			
8	3 4 5 6 7 8 9 10 12 14	2.00 2.20 2.50 3.00 3.40 3.70 4.20 4.70 5.40 6.75	12	3 4 5 6 7 8 9 10 12 14 16	3.00 3.30 3.60 4.00 4.30 4.60 4.90 5.40 6.20 7.30 8.50	16	16 . 3 4 5 6 7 8 9 10 12 14 16	3.90 4.20 4.50 5.00 5.50 6.00 6.50 7.00			
9	3 4 5 6 7 8 9 10 12 14	2.25 2.50 2.80 3.10 3.50 3.90 4.30 4.70 5.30 6.10	13	3 4 5 6 7 8 9 10 12 14 16	3.10 3.40 3.80 4.20 4.55 5.00 5.40 5.80 6.60 7.70 9.00	17	14 16 18 3 4 5 6 7 8 9 10 12 14 16 18	8.00 9.40 10.80 12.50 4.10 4.40 4.70 5.20 6.20 6.80 7.40 8.50 10.00			
10	3 4 5 6	2.80 3.00 3.25 3.50	14	3 4 5	3.50 3.80 4.20		12 14 16 18	8,50 10 00 11,70 13,50			

Bored, turned and balanced, with set screws or key seats.

Diameter in Inches,	Width of Face in Inches.	Single Belt.	Double Belt.	Diameter in Inches.	Width of Face in Inches.	Single Belt.	Double Belt,
18	3 4 5 6 7 8 9 10 42 14 16 18	\$4.30 4.60 4.95 5.50 6.05 6.60 6.85 7.90 9.10 10.80 12.50 14.90	\$5.65 6.20 6.75 7.30 8.05 8.75 9.55 10.30 11.85 13.80 15.85 18.50	21	9 10 12 14 16 18 20 4 5 6	\$8,65 9,40 11,00 13,10 15,30 18,40 22,00 5,60 6,10 7,00 7,75 8,40	\$11,00 11,80 14,15 16,55 19,05 22,45 26,35 7,90 8,80 9,60 10,55
19	3 4 5 6 7 8 9 10 12 14 16 18	4.50 4.80 5.15 5.80 6.40 7.00 7.80 8.30 9.70 11.50 13.40 16.10	5.85 6.60 7.10 7.60 8.40 9.15 10.10 10.70 12.60 14.70 16.85 19.85	23	4 5 6 7 8 9 10 12 14 16 18 20 4 5 6 7 8 9 10 10 12 14 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	9.20 10.00 11.80 13.90 16.40 19.70 23.40 5.80 7.20 7.40 8.15	11.40 12.40 15.15 17.50 20.35 23.90 28.00 8.60 9.50 10.40
20	3 4 5 6 7 8 9 10 12 14 16 18 20	4,70 5,00 5,55 6,20 6,85 7,50 8,90 10,30 12,30 14,30 17,40 20,80	6.35 6.70 7.35 8.00 8.80 9.65 10.50 11.30 13.30 15.65 17.90 21.35 25.00	24	8 9 10 12 14 16 18 20 4 5 6 7 8 9 10	8.90 9.75 10.60 12.50 14.80 17.50 20.90 24.60 6.20 7.00 7.80 8.45	11.30 12.55 13.35 16.10 18.75 21.70 25.45 29.40 8.30 9.15 9.95 10.80
21	4 5 6 7 8	5.30 5.80 6.50 7.20 7.90	7.00 7.65 8.30 9.20 10.00	1	9 10 12 14 16 18 20	$\begin{array}{c} 9.40 \\ 10.35 \\ 11.30 \\ 13.30 \\ 15.70 \\ 18.70 \\ 22.10 \\ 26.00 \end{array}$	11.80 13.00 14.00 16.90 19.65 22.90 26.65 30.80

Bored, turned and balanced, with set screws or key seats

Bore	Bored, turned and balanced, with set screws or key seats.									
Diameter in Inches.	Width of Face in Inches.	Single Belt.	Double Belt.	Diameter in Inches.	Width of Face in Inches.	Single Belt,	Double Belt.			
25	4 5 6 7 8 9 10 12 14 16 18 20	\$6.50 7.40 8.30 9.10 10.00 10.95 11.90 14.10 16.70 19.80 23.30 27.30	\$8.75 9.70 10.55 11.60 12.55 13.70 14.75 17.85 20.75 34.12 27.95 32.25	28	10 12 14 16 18 20 4 5 6 7 8 9	\$14,30 16,90 19,70 23,10 26,90 31,50 8,00 9,25 10,50 11,50 12,50 13,80	\$17.65 21.10 24.25 27.90 32.05 36.90 10.85 12.15 13.35 14.50 15.65 17.05			
26	4 5 6 7 8 9 10 12 14 16 18 20	6.90 7.80 8.70 9.65 10.60 11 65 12.70 15.00 17.70 20.90 24.50 28.70	9.30 10.20 11.10 12.30 13.35 14.60 15.70 18.95 21.90 25.45 29.30 33.85	30	10 12 14 16 18 20 4 5 6 7 8 9 10 12 14	15.30 15.10 17.80 20.80 24.20 28.00 32.90 8.50 9.80 11.10 12.20 13.20 14.60	11.05 18.45 22.15 25.45 29.15 33.25 38.45 11.50 12.85 14.10 16.55 18.00			
27	4 5 6 7 8 9 10 12 14 16	7.20 8.25 9.30 10.30 11.30 12.40 13.50 16.00 18.70 22.00	9.75 10.85 11.85 13.00 14.15 15.45 16.65 20.05 23.05 26.65	31	16 18 20 4	14,00 15,90 18,70 21,80 25,40 29,20 34,30 9,00 10,35 11,70	19.50 19.50 23.25 26.60 30.55 34.60 40.05 12.15 13.55 14.85			
28	16 18 20 4 5 6 7 8	22.00 25.60 50.10 7,60 8.30 9.90 10.90 11.90 13.70	26.65 30.55 35.35 10.35 11.50 12.65 13.80 14.90 16.20		5 6 7 8 9 10 12 14 16 18 20	11.70 12.85 14.00 15.40 16.80 19.70 22.90 26.60 30.50 35.70	14.85 16.20 17.45 19.05 20.55 24.35 27.85 31.85 36.05 41.75			

Bored, turned and balanced, with set screws or key seats.

Diameter in Inches.	Width of Face in Inches.	Single Belt.	Double Belt.	Diameter in Inches.	Width of Face in Inches.	Single Belt.	Double Belt.
32	4 5 6 7 8 9 10 12 14 16 18 20	\$9.40 10.85 12.30 13.55 14.80 16.20 17.60 20.60 23.90 27.70 31.80 37.10	\$12.75 14.20 15.65 17.00 18.40 20.00 21.50 25.40 29.05 33.10 37.55 43.45	35 36	10 12 14 16 18 20 4 5 6 7	\$20.20 •23.40 •27.00 •31.10 •35.40 •41.20 •11.50 •13.30 •15.10 •16.55 •18.00	\$24.55 28.65 32.85 37.40 42.15 48.55 15.45 17.30 19.05 20.65 22.20
33	4 5 6 7 8 9 10 12 14 16 18 20	9.90 11.45 13.00 14.30 15.60 17.00 18.40 21.50 24.90 28.80 32.90 38.40	13.35 15.90 16.45 17.90 19.35 20.90 22.45 26.45 30.35 34.50 39.00 45.00	37	9 10 12 14 16 18 20 6 8 10 12 14	19.55 21.10 24.40 28.00 32.20 36.80 42.70 15.00 18.90 22.00 25.40 29.20	23.95 25.65 29.80 34.00 38.80 44.00 50.50 20.00 23.40 26.65 31.10 35.50
34	4 5 6 7 8 9 10 12 14 16 18 20	10.40 12.05 13.70 15.00 16.30 17.80 19.30 22.40 25.90 29.90 34.20 39.80	14.00 15.65 17.30 18.60 20.25 21.40 23.50 27.55 31.65 35.90 40.55 46.75	38	16 18 20 6 8 10 12 14 16 18 20	33.40 38.10 44.10 16.70 19.70 22.80 26.50 30.30 34.60 39.40 45.70	40.30 45.60 52.20 20.90 24.50 28.20 32.50 36.90 41.80 47.20 54.10
3 5	4 5 6 7 8 9	10.90 12.65 14.40 15.80 17.20 18.70	14.65 16.40 18.15 19.70 21.25 22.70	39	6 8 10 12 14 16 18 20	17.70 20.80 23.80 27.60 31.50 35.80 40.80 47.20	22.20 25.90 29.50 34.00 38.60 43.30 48.96 55.90

Bored, turned and balanced, with set screws or key seats.

Diameter in Inches.	Width of Face in Inches.	Single Belt	Double Belt.	Diameter in Inches	Width of Face in Inches.	Single Belt.	Double Belt.
40	6 8 10 12 14 16 18 20	\$18.60 21.80 24.80 28.80 32.70 37.10 42.30 49.00	\$23.40 27.20 30.80 35,50 40.00 45.00 50.70 58.00	45	6 8 10 12 14 16 18 20	\$23.10 27.20 30.40 34.40 39.00 44.10 50.20 57.60	\$29.40 34.10 37.90 42.80 48.20 54.00 60.60 68.60
41	6 8 10 12 14 16 18 20	19,40 22,80 25,80 29,90 33,90 38,30 43,70 50,40	24.50 28.50 32.10 37.00 41.75 46.40 52.40 59.70	46	6 8 10 12 14 16 18 20	24.20 28.20 31.60 35.60 40.30 45.80 51.90 59.30	30.80 35.40 39.40 44.40 49.90 56.00 62.70 70.70
42	6 8 10 12 14 16 18 20	20.30 23.90 26.90 31.10 35.00 39.70 45.30 52.00	25.70 29 90 33.50 38.60 43.20 48.10 54.30 61.60	47	6 8 10 12 14 16 18 20	25.20 29.30 32.80 36.70 41.70 47.40 53.70 61.10	32.10 36.80 40.90 45.60 51.50 58.00 65.00 72.80
43	6 8 10 12 14 16 18 20	21.30 25.00 28.00 32.20 36.30 41.10 46.90 53.90	27.00 31.30 34.90 40.00 44.70 50.00 56.40 64.00	48	6 8 10 12 14 16 18 20	26,20 30,40 34,00 38,00 43,20 49,00 55,50 62,90	33.40 38.20 42.40 47.00 53.20 60.20 67.30 74.90
44	6 8 10 12 14 16 18 20	22.20 26.10 29.50 33.40 37.60 42.60 48.50 55.70	28.20 32.70 36.50 41.50 46.40 52.00 58.40 66.25	49	22 24 6 8 10 12 14 16 18 20	73.00 81.50 27.20 31.60 35.20 39.30 44.70 50.60 57.20 65.00	91.00 105.50 34.70 39.70 43.90 48.80 55.00 62.20 69.50 77.80

Bored, turned and balanced, with set screws or key seats.

Diameter in Inches.	Width of Face in Inches.	Single Belt	Double Belt.	Diameter in Inches	Width of Face in Inches.	Single Belt,	Double Belt.
49	22 24	\$75.00 \$3.90	\$93,50 108,40	54	6 8	\$32.80 37.50	\$41.60 47.10
50	6 S 10 12 14 16 18 20	28.20 32.70 36.40 40.50 46.20 52.00 58.90 66.90	36.00 41.10 45.40 50.40 56.80 64.00 71.80 80.50		10 12 14 16 18 20 22 24	41,50 46,30 52,40 58,60 66,00 75,50 85,00 96,00	51.70 57.20 64.20 71.80 80.00 89.90 105.70 122.80
51	20 22 24 6	66.30 77.00 86.30 29.30	96.00 111.30 37.40	55	6 8 10 12	33.70 38.70 42.80 47.80	43.00 48.60 53.30 59.00
	8 10 12 14 16 18 20	33.90 37.70 42.00 47.80 53.70 60.80 69.00	42.60 47.00 52.00 58.60 66.00 74.00 82.80		14 16 18 20 22 24	54.00 60.60 68.00 77.70 87.50 98.40	66.00 74.10 82.50 92.70 108.70 125.70
	22 24	79,00 88,80	98.40 114.20	56	6 8 10	34.80 39.90 44.00	44.40 50.10 54.80
52	6 8 10 12 14 16 18 20	30.40 35.10 39.00 43.30 49.30 55.30 62.40 71.30	38.S0 44.10 48.60 53.60 60.50 67.90 76.60 85.50		12 14 16 18 20 22 24	49,30 55,50 62,70 70,00 79,90 90,00 101,00	60.80 67.80 76.50 84.80 95.50 111.60 129.00
53	$\frac{22}{24}$	\$1.00 91.00 31.50	100.80 116.90 40.20	57	6 8 10 12	36,00 41.00 45.30 50.80	45,90 51,50 56,40 62,60
	8 10 12 14 16 18 20 22	36.30 40.20 44.80 50.80 56.90 64.20 73.20 85.00	45.60 50.00 55.40 62.30 69.80 78.00 87.50 104.00	58	12 14 16 18 20 22 24	57.00 64.50 72.10 82.00 92.40 103.80	69.50 69.50 78.90 87.30 97.90 114.30 132.20 47.40
	24	93.60	120.00		8	42.30	53.10

Bored, turned and balanced, with set screws or key seats.

	*										
Diameter in Inches.	Width of Face in Inches.	Single Belt.	Double Belt.	Diameter in Inches.	Width of Face in Inches.	Single Belt.	Double Belt.				
58	10 12 14 16 18 20 22 24	\$46.70 52.30 58.80 66.50 74.40 84.30 95.00 106.70	\$58.10 64.40 71.40 81.50 90.00 100.50 117.20 135.50	62	6 8 10 12 14 16 18 20 22	\$42.00 47.30 52.10 58.30 65.20 74.00 82.90 93.20 104.70	\$53.40 59.30 64.70 71.50 79.00 90.20 99.70 110.60 128.70				
59	6 8 10 12 14 16 18 20 22 24	38.40 43.50 48.10 53.80 60.40 68.40 76.60 86.50 97.50 110.00	48.90 54.60 59.80 66.20 73.30 83.70 92.50 103.00 120.00 138.40	63	24 26 28 30 6 8 10 - 12 14	117.00 131.50 146.70 163.00 43.20 48.60 53.50 59.80 66.80	148.00 169.00 191.40 214.60 54.90 60.90 66.40 73.30 80.90				
60	6 8 10 12 14 16 18 20 22 24 26 28 30	39.50 44.80 49.50 55.30 62.00 70.30 78.80 88.90 100.00 111.80 120.00 141.00	50.30 56 20 61.50 67.90 75.20 85.90 95.00 105.70 122.80 141.50 162.00 184.20 207.10	64	16 18 20 22 24 26 28 30 6 8 10 12 14	75.90 85.10 95.40 107.00 119.40 134.00 140.50 165.70 44.50 50.00 54.90 61.40 68.40	92.40 102.20 113.10 131.30 150.80 172.10 194.80 217.90 56.50 62.60 68.10 75.20 82.80				
61	6 8 10 12 14 16 18 20 22 24 24 26 28 30	40.70 46.00 50.80 56.80 63.50 72.00 80.70 90.90 102.30 114.20 128.50 143.50 159.70	51.80 57.70 63.10 69.70 77.00 87.90 97.20 108.00 125.70 144.60 165.70 187.60 210.70	65	14 16 18 20 22 24 26 28 30 6 8 10 12	68.40 77.80 87.30 97.80 109.60 122.20 137.00 152.40 160.00 45.80 51.40 56.30 63.00	82.80 94.60 104.70 115.80 134.20 154.00 175.70 198.30 222.10 58.10 64.30 69.80 77.10				

Bored, turned and balanced, with set screws or key seats.

Diameter in Inches.	Width of Face in Inches.	Single Belt	Double Belt,	Diameter in Inches	Width of Face in Inches.	Single Belt,	Double Belt,
65	14	\$70.20	\$84.90	68	2:2	\$119.60	\$146.00
	16	79.80	96,90		24	132.80	166.40
	18	83.50	107.20		26	148.00	189,10
	20	100.00	118.30		28	164.00	212.30
	22 24	112.00	137.00		30	181.00	236.80
	24	124.50	157.20				
	26	139,50	178.80	69	6	51.00	64.50
	28	155.10	201,60		8	56.70	70.80
	30	172.00	225,40		10	62.00	76.70
					12	69.50	84 80
66	6	47.10	59.70		14	77.30	93.20
	8	52 80	66,00		16	87.70	106.00
	10	57 80	71.60		18	98.50	117.40
	12 14	64.00	-79.00		20	109.30	128.80
	14	72.00	87.00		22 24	$122.50 \\ 135.50$	149.20
	16	81.60	90.00		24	135,50	169,50
	18	91.80	109.80		26	150 50	191.90
	20 22	102 30 114,60	120.90		28 30	136.70	215.60
	24	127.40	140.00			184,00	240 40
	24 26	142,00	160.00 181.90	70	6	52.40	66.20
	28	157,90	205.00		8	58.10	72,50
	30	175,00	229,30		10	63.40	$\frac{72,50}{78,40}$
	-30	170.00	22.7.500		12 14	71.10	86.70
67	6	48.40	61.30		14	79.20	95 40
01	8	54.10	67.60		16	89.80	108,40
	10	59.20	73.30		18	100.70	119.90
	12	66.30	81.00		20 22	112.00	131.80
	12 14	73,60	88,90		22	125.00	152.30
	16	83.50	101.20		24	138 20	172.80 195.50
	18	93.90	112.20		26	153,50	195.50
	20	104.50	123.40		28 30	169.80	219.30
	22	116.80	142.80			187.00	244.00
	24	130.00	.33.20	71	(;	53.80	67.90
	26	145.00	185.50		8	59.40	74,10
	· 2S	160.80	208 50		10	64.80	80.10
	30	178.00	232.90		12 14	72.60	88.50
					14	80,90	97.40
68	G	49.70	62.90		16	91.80	110 70
	8	55.40	69.20		18	102.80 114.30	122.30 134.40
	10	60.60	75.00		20	114.30	134.40
	12 14	68.00	83 00		22 24	127.40	155.00
	14	75.40	91.00		24	149.70	175.70
	16	85.60	103.60		26	156 00	198 60
	18	96.10	114.70		28	172.40	222,50
	20	107.00	126.20		30	189.80	247.40

Bored, turned and balanced, with set screws or key seats.


1010	Boreu, turnet and baranced, with set sciews of key seats.									
Diameter in Inches.	Width of Face in Inches.	Single Belt.	Double Belt.	Diameter in Inches.	Width of Face in Inches.	Single Belt.	Double Belt,			
72	6 10 12 14 16 18 20 22 24 26 30	\$55.30 60.80 66.20 74.20 82.80 93.90 105.00 117.00 12).90 143.30 158.80 175.20 192.70	\$69.70 75.80 81.80 90.40 99.60 113.10 124.80 137.40 157.80 178.70 202.00 225 50 251.20	78	26 28 30 10 12 14 16 18 20 22 24 26 28	\$175.40 192.50 210.60 89.10 98.00 108.00 12).50 133.00 145.80 166.80 175.40 192.00 209.80	\$221.90 247.10 273.30 108.90 118.40 130.00 145.90 161.00 178.40 193.80 216.80 241.80 268.00			
75	10 12 14 16 18 20 22 24 26 28 30	71.20 79.50° 88.30 9).90 111.50 124.40 137.70 151.50 167.20 184.00 202.00	87.40 96.30 105.70 119.70 131.90 145.40 166.50 188.00 211.90 236.50 262.60	(4)	30 10 12 14 16 18 20 22 24 26 28	102.50 112.40 122.80 135.70 148.00 162.30 177.00 192.00 238.00 225.60	293,40 123,50 134,00 145,60 160,90 173,80 188,76 212,70 236,40 261,10 287,40			
76	10 12 14 16 18 20 22 24 26 28 30	73.10 81.40 90.50 102.00 113.70 126.90 140.10 153.90 169.70 186.50 204.50	\$9.90 98.80 108.50 122.40 134.70 148.50 169.86 191.50 215.00 339.60 205.50	96	12 14 16 18 20 22 24 26	243 5)	314,30 153,00 172,00 192,00 212,00 233,00 254,00 276,00 297,00			
78	10 12 14 16 18 20 22 24	76.60 85.50 94.70 106.40 118.00 132.00 145.50 159.40	94.00 103.50 113.30 128.00 140.20 154.80 176.10 197.80							

Bored, turned and balanced, with set screws or key seats.

Diameter in Inches.	Width of Face in Inches.	Double Belt.	Diameter in Inches.	Width of Face in Inches.	Double Belt.	Diameter in Inches.	Width of Face in Inches.	Double Belt.
96	28	\$320 00	108	16	\$232 00	114	24	\$356 00
	30	340 00		18	256 00		26	382 θυ
102	12	171 00		20	280 00		28	408 00
102				22	305 00		30	435 00
	14	192 00		24	330 00	1		
	16	213 00		26	353 00	120	12	221 00
	18	233 00		28	378 00		14	246 00
	20	256 00		30	402 00		16	270 00
	22	279 00					18	295 00
	24	302 0 0	114	12	205 00		20	325 00
	26	325 00		14	228 00		22	353 00
	28	348 0 0		16	252 00		24	380 00
	30	370 00		18	277 00		26	410 00
108	12	187 00		20	303 00	1	28	440 00
	14	210 00		22	330 0 0		30	465 00

BOILERS. ENGINES. SHAFTING.

Balanced Split Iron Pulley.



Pulleys above 20 inches face should have two sets of arms. In ordering, state whether double or single belt is to be used. We can furnish odd sizes at short notice. We carry a large stock of regular sizes and can make prompt shipment.

Bored, turned and balanced, with set screws or key seats.

Diameter in Inches.	Width of Face in Inches.	Single Belt.	Diameter in Inches.	Width of Face in Inches.	Single Belt.	Diameter in Inches.	Width of Face in Inches.	Single Belt,
6	3 4 5 6 7 8 9 10 12 3 4 5 6 6 7 8 9 10 12	\$2.90 3.15 3.60 3.85 4.50 4.75 5.25 5.75 7.00 3.10 3.30 4.19 5.35 5.75 6.25 8.25	10	7 - 8 9 10 12 14 5 6 7 8 9 10 12 14 16	\$5.80 6.19 6.50 7.00 8.19 4.30 4.50 5.05 5.40 6.10 6.40 7.25 8.40 9.30 10.50	14	6 7 8 9 10 12 14 16 3 4 5 6 7 8 9 10 12 14 16 12 16 16 16 16 16 16 16 16 16 16 16 16 16	\$6.50 7.40 7.70 8.20 8.60 10.60 13.00 5.50 6.30 6.70 7.60 8.00 8.50 9.00
S	9 10 12 3 4 5 6 7 8 9 10 12 14	5.75 6.25 8.25 3.40 3.60 4.10 4.60 5.70 6.20 6.70 7.80 9.25	12	14 16 3 4 5 6 7 8 9 10 12 14 16	9.30 10.50 4.40 4.70 5.20 5.60 6.30 6.60 7.50 8 70 9.80 11.00	16	10 12 14 16 3 4 5 6 7 8 9 10 12 14 16 18	9,00 11.00 12.30 13.80 5.40 5.70 6.50 7.00 8.00 9.00 9.50 11.50 12.90 14.30
9	3 4 5 6 7 8 9 10 12 14	3.65 3.90 4.40 4.70 5.50 5.90 6.30 6.70 7.80 8.60 4.20 4.40	13	3 4 5 6 7 8 9 10 12 14 16	4.60 4.90 5.80 6.20 7.05 7.50 8.30 10.10 11.20 12.50	17	16 18 3 4 5 6 7 8 9 10 12 14 16 18	14.3o 16.00 5.90 6.70 7.20 8.20 8.70 9.30 12.00 13.50
	3 4 5 6	4.40 4.85 5.10	14	3 4 5	5.00 5.30 6.20		14 16 18	13 50 15.20 17.10

Bored, turned and balanced, with set screws or key seats.

Diameter in Inches.	Width of Face in Inches.	Single Belt	Double Belt.	Diameter in Inches	Width of Face in Inches.	Single Belt.	Double Belt.
18	3 4 5 6 7 8 9 10 12 14 16 18	\$5.80 6.10 6.95 7.50 8.55 9.10 9.35 10.40 12.60 14.30 16.00	\$7.15 7.70 8.75 9.30 10.55 11.25 12.05 12.80 15.35 17.30 19.35	21	10 12 14 16 18 20 4 5 6 7	\$13.40 16.00 18.10 21.90 25.00 28.60 8.20 9.30 10.20 11.75	\$15.80 19.15 21.55 25.65 29.05 32.95 10.00 11.10 12.00 13.60
19	18 3 4 5 6 7 8 9 10 12 14 16 18	7.10 7.40 8.35 9.00 10.40 11.00 11.80 12.30 14.70 16.50 20.00 22.70	8.45 9.20 10.30 10.80 12.40 13.15 14.10 14.70 17.60 19.70 23.45 26.45	23	4 5 6 7 8 9 10 12 14 16 18 20 4 5 6 7 8	12.40 13.20 14.00 16.80 18.90 23.00 26.50 30.00	14.55 15.40 16.40 20.15 22.50 26.95 30.50 34.60
20	3 4 5 6 7 8 9 10 12 14 16	7.30 7.60 8.75 9.40 10.85	\$8.95 9.30 10.55 11.20 12.80 13.65 14.50	24	4 5 6 7 8 9 10 12 14 16 18 20	10.60 12.15 12.90 13.75 14.60 17.50 19.80 24.10 27.50 31.20	11.80 12.70 14.40 15.30 16.55 17.35 21.10 23.75 28.30 32.05 36.00
21	10 12 14 16 18 20 4 5 6 7 8 9	12.20 12.90 15.30 17.30 20.90 24.00 27.40 7.90 9.00 9.70 11.20 11.90	15.30 18.30 20.65 24.50 27.95 31.60 9.60 10.85 11.50 13.20 14.00 15.00		4 5 6 7 8 9 10 12 14 16 18 20	11.00 11.80 13.45 14.40 15.35 16.30 19.80 22.20 27.70 31.10 35.00	12.30 13.15 13.95 15.80 16.80 19.00 23.40 26.15 31.90 35.65 39.80

Bored, turned and balanced, with set screws or key seats.

Diameter in Inches,	Width of Face in Inches.	Single Belt.	Double Belt.	Diameter in Inches.	Width of Face in Inches.	Single Belt.	Double Belt,
25	4 5 6 7 8 9 10 12 14 16 18 20	\$10.50 11.40 12.30 14.10 15.00 15.95 16.90 20.60 23.20 28.80 32.30 36.30	\$12.75 13.70 14.55 16.60 17.55 18.70 19.75 24.35 27.25 33.15 26.95 41.25	28	12 14 16 18 20 4 5 6 7 8 9 10 12 14	\$23.40 26.20 32.10 39.90 40.50 12.00 13.25 14.50 16.50 17.50	\$27.60 30.75 36.90 41.05 45.90 14.85 16.15 17.35 19.50 20.65 29.05
26	4 5 6 7 8 9 10 12 14 16 18 20	10.90 11.80 12.70 14.65 15.60 16.65 17.70 21.50 24.20 29.90 33.50 37.70	13.30 14.20 15.10 17.30 18.35 19.60 20.70 25.45 28.40 34.45 38.30 42.85	3)	10 12 14 16 18 20 4 5 6 7 8 9 10 12 14	18.80 20.10 24.30 27.30 37.00 41.90 12.50 13.80 15.10 17.20 18.20 19.60	19.50 20.65 22.05 23.45 28.65 31.95 38.15 42.25 47.45 15.50 16.85 18.10 20.40 21.55 23.00 24.50
27	4 5 6 7 8 9 10 12 14 16 18 20	11,20 12,25 13,30 15,30 16,30 17,40 18,50 22,50 25,20 31,00 34,60 39,10	13.75 14.85 15.85 18.00 19.15 20.45 21.65 26.55 29.55 35.66 39.55 44.35	31	10 12 14 16 18 20 4 5 6 7 8 9 10 12 14	20.90 25.20 28.30 34.40 38.20 43.30 14.00 15.35 16.70 18.85 20.00 21.40	29.75 33.10 39.55 43.60 49.05 17.15 18.55 19.85 22.20 23.45 25.05
28	4 5 6 7 8 9	11.60 12.30 13.90 15.90 16.90 18.70 19.30	14.35 15.50 16.65 18.80 19.90 21.20 22.65		10 12 14 16 18 20	22.80 28.20 31.40 38.10 42.00 47.20	26 55 32.85 36.35 43.35 47.55 53.25

Bored, turned and balanced, with set screws or key seats.

	Bored, turned and balanced, with set serens of Rey Seats.									
Diameter in Inches.	Width of Face in Inches.	Single Belt.	Double Belt.	Diameter in Inches	Width of Face in Inches.	Single Belt.	Double Belt.			
32	4 5 6 7 8 9 10 12 14	\$14.40 15.\$5 17.30 19.55 20.80 22.20 23.60	\$17.75 19.20 20.65 23.00 24.40 26.00 27.50	35 36	12 14 16 18 20	\$31.90 35.50 42.60 46.90 52.70 \$16.50	\$37.15 41.35 48.90 53.65 60.05			
	12 14 16 18 20	29.10 32.40 39.20 43.30 48.60	33.90 37.55 44.60 49.05 54.95		4 5 6 7 8 9 10 12	18.30 20.10 22.55 24.00 25.55 27.10	22.30 24.05 26.65 28.20 29.95 31.65			
33	4 5 6 7 8 9 10	14.90 16.45 18.00 20.30 21.60 23.00	18.35 20.90 21.45 23.90 25.35 26.90		14 16 18 20	32.90 36.50 43.70 48.30 54.20	38.30 42.50 50.30 55.50 62.00			
	10 12 14 16 18 20	24.40 30.00 33.40 40.30 44.40 49.90	28.45 34.95 38.85 46.00 50.50 56.50	37	6 8 10 12 14 16 18	25.90 28.90 32.00 38.40 42.20 51.40 56.10	30.00 33.40 36.65 44.10 48.50 58.30 63.60			
34	4 5 6 7 8 9 10 12	15.40 17.05 18.70 21.00 22.30 23.80 25.30 30.90	19.00 20.65 22.30 24.60 26.25 27.40 29.50 36.05	38	18 20 6 8 10 12 14 16	26.70 29.70 32.80 39.50 43.30 52.60	70,20 30,90 34,50 38,20 45,50 49,90 59,80			
	14 16 18 20	34.40 41.40 45.70 51.30	40.15 47.40 52.05 58.25	39	18 20 6 8	57.40 63.70 27.70 30.80	65.20 72.10 32.20 35.90			
35	4 5 6 7 8 9	15.90 17.65 19.40 21.80 23.20 24.70 26.20	19.65 21.40 23.15 25.70 27.25 28.70 30.55		10 12 14 16 18 20	33.80 40.60 44.50 53.80 58.80 65.20	39.50 47.00 51.60 61.30 66.90 73.90			

Bored, turned and balanced, with set screws or key seats.

Diameter in Inches.	Width of Face in Inches.	Single Belt.	Double Belt.	Diameter in Inches.	Width of Face in Inches.	Single Belt.	Double Belt.	
40	6 8 10 12 14 16 18 20	\$28.60 31.80 34.80 41.80 45.70 65.10 60.30 67.00	\$33.40 57.20 40.80 48.50 53.00 63.00 68.70 76.00	45	6 8 10 12 14 16 18 20	\$33.10 37.20 40.40 47.40 52.00 62.10 68.20 75.60	\$39.40 44.10 47.90 55.80 61 20 72.00 78.60 86.60	
41	6 8 10 12 14 16 18 20	29,40 32,80 35,80 42,90 46,90 56,30 61,70 68,40	34.50 38.50 42.10 50.00 54.75 64.40 70.40 77.70	46	6 8 10 12 14 16 18 20	34.20 38.20 41.60 48.60 53.30 63.80 69.90 77.30	40.80 45.40 49.40 57.40 62.90 74.00 80.70 88.70	
42	6 8 10 12 14 16 18 20	30.30 33.90 36.90 44.10 48.00 57.70 63.30 70.00	35.70 39.90 43.50 51.60 56.20 66.10 72.30 79.60	47	6 8 10 12 14 16 18 20	35,20 39 30 42,80 49,70 54,70 65,40 71,70 79,10	42.10 46.80 50.90 58.60 64.50 76.00 83.00 90.80	
43	6 S 10 12 14 16 18 20	31.30 35.00 38.00 45.20 49.30 59.10 64.90 71.90	37.00 41.30 44.90 53.00 57.70 68.00 74.40 82.00	48	6 S 10 12 14 16 13 20 22	38.70 42.90 46.50 56.00 61.20 74.00 -80.50 87.90 107.00	45.90 50.70 54.90 65.00 71.20 85.20 92.30 99.90 125.00	
41	6 10 12 14 16 18 20	32.20 36.10 39.30 46.40 50.60 60.60 66.50 73.70	38.20 42.70 46.50 54.50 59.40 70.00 76.40 84.25	49	6 8 10 12 14 16 18 20	39.70 44.10 47.70 57.30 62.70 75.60 82.20 90.00	129,50 139,50 47,20 52,20 56,40 66,80 73,00 87,20 94,50 102,80	

Bored, turned and balanced, with set screws or key seats.

Diameter in Inches.	Width of Face in Inches.	Single Belt	Double Belt,	Diameter in Inches	Width of Face in Inches.	Single Belt,	Double Belt.
49	22 24	\$109:00 117.90	\$127.59 142.40	54	6 8 10	\$45.10	\$54.10 59.60
50	6 8 10 12 14 16 18	40.70 45.20 48.90 58.50 64.20 77.00 83.90	48.50 53.60 57.90 68.40 74.80 89.00 96.80		10 12 14 16 18 20 22 24	54.00 64.30 70.40 83.60 91.00 100.50 119.00 130.00	$\begin{array}{c} 64.20 \\ 75.20 \\ 82.20 \\ 96.80 \\ 105.00 \\ 114.90 \\ 139.70 \\ 156.80 \end{array}$
	20 22 24	91.90 111.00 120.30	105.50 130.00 145.30	55	6 8 10	46.20 51.20 55.30	55.50 61.10 65.80
51	6 8 10 12 14	41.80 46.40 50.20 60.00 65.80	49.90 55.10 59.50 70.00 76.60		12 14 16 18 20 22 24	65.80 72.00 85.60 93.00 102.70	77.00 \$4.00 99.10 107.50 117.70
	16 18 20 22 24	78.70 85.80 94.00 113.00	91.00 99.00 107.80 132.40	56	6	121.50 132.40 47.30	142.70 159.70 56.90
52	6	122.S0 42.90 47.60 51.50	148.20 51.30 56.60 61.10		8 10 12 14	52.40 56.50 67.30 73.50 87.70	62.60 67.30 78.80 85.80 101.50
	8 10 12 14 16 18	61.30 67.30 80.30 87.40	71.60 78.50 92.90 101.00		16 18 20 22 24	95.00 104.90 124.00 135.00	109.80 120.50 145.60 163.00
	20 22 24	96.30 115.00 125.00	110.50 134.80 150.90	57	6	48.50 53.50 57.80	58.40 64.00 68.90
53	6 8 10 12 14	44.00 48.80 52.70 62.80 68.80	52.70 58.10 62.50 73.40		10 12 14 16 18 20	68.80 75.00 89.50 97.10	80.60 87.50 103.90 112.30 122.90
	16 18 20	81.90 89.20 98.20	80.30 94.80 103.00 112.50	20	22 24	107.00 126.40 137.80	148.30 166.20
	$\frac{22}{24}$	117.00 127.60	138.00 154.00	58	8	49.70 54.80	59.90 65.60

Bored, turned and balanced, with set screws or key seats.

Diameter in Inches.	Width of Face in Inches.	Single Belt.	Double Belt.	Diameter in Inches.	Width of Face in Inches.	Single Belt.	Double Belt,	
58	10 12 14 16 18 20 22 24	\$59.20 70.30 76.80 91.50 99.40 109.30 129.00 140.70	70.60 82.40 89.40 106.50 115.00 125.50 151.20 169.50	62	6 8 10 12 14 16 18 20 22 24	\$62.00 67.30 72.10 83.30 90.20 109.00 117.90 128.20 149.70	\$73.40 79.30 84.70 96.50 104.00 125.20 134.70 145.60 173.70	
59	6 8 10 12 14 16 18 20 22 24	50.90 56.00 60.60 71.80 78.40 93.40 101.60 111.50 131.50	$\begin{array}{c} 61.40 \\ 67.10 \\ 72.30 \\ 84.20 \\ 91.30 \\ 108.70 \\ 117.50 \\ 128.00 \\ 154.00 \end{array}$	63	26 28 30 6 8	162.00 176.50 191.70 208.00 63.20 68.60 73.50	193.00 214.00 236.40 259.60 74.90 80.90 86.40	
60	6 8 10 12 14 16	144 00 52.00 57.30 62.00 73.30 80.00 95.30 103.80 113.90	172.40 62.80 68.70 74.00 85.90 93.20 110.90 120.00 130.70		12 14 16 18 20 22 24 26 28 30	84.80 91.80 110.90 120.10 130.40 152.00 164.40 179.00 185.50 210.70	98.30 105.90 127.40 137.20 148.10 176.30 195.80 217.10 239.80 262.90	
	18 20 22 24 26 -28 30	134.00 145.80 154.00 175.00 191.00	156.80 175.50 196.60 218.20 241.10	64	6 8 10 12 14	64.50 70.00 74.90 86.40 93.40	76.50 82.60 88.10 100.20 107.80	
61	6 S 10 12 14 16 18 20 22	60.70 66.00 70.80 81.80 88.50 107.00 115.70 125.90 147.30	71.80 77.70 83.10 94.70 102.00 122.90 132.20 143.00 170.70		16 18 20 22 24 26 28 30	112.80 122.30 132.80 154.60 167.20 182.00 197.49 214.00	129.60 139.70 150.80 179.20 199.00 220.70 243.30 267.10	
	24 26 28 30	159.20 173.50 188.50 204.70	189.60 210.70 232.60 255.70	65	6 8 10 12	65.80 71.40 76.30 88.00	78.10 84.30 89.80 102.00	

Bored, turned and balanced, with sct screws or key seats.

Diameter in Inches.	Width of Face in Inches.	Single Belt	Double Belt.	Diameter in Inches	Width of Face in Inches.	Single Belt,	Double Belt.
65	14 16	\$95.20 114.80	\$109.90 131.90	68	22 24	\$164.60 177.80	\$191 00 211.40
	18	124.50	142 20		26	193.00	234 10
	20	135 00	153,30		28	209.00	257 . 0
	22	157.00	182.00	1 3	30	226.00	281 80
	18 20 22 24 26 28	169 90	202 20			=1 00	24.50
	26	184.50	223 80	69	6	71.00	84 50
	30	200.10 217.00	246 60 270 40		8 10	76.70 82.00	90.80 96 70
	90	211,00	270 40		10	94.50	109.80
66	6	67.10	79.70		12 14	102.30	118 20
00		72 S0	86.00		16	122.70	141.00
	8 10 12 14	72 S0 77.80	91 60		16 18 20 22 24 26	122.70 133.50	152.40
	12	89.00	104.00	1	20	144.30	163 80
	14	97.00	112.00		22	167.50	194,20
	16	116 60	134 00		24	180.50	214.50
	18	126.80	144 80		26	195.50	236 90
	20	137.30 159.60	155 90 185.00		28	211.70	260.60 285.40
	16 18 20 22 24 26	179.00	205.00				
	26	172.40 187.00	226.90	70	6	72.40	86.20
	28	202 90	250.00		8	78.10 83.40	92 50
	30	220.00	274.30		$\begin{array}{c} 8 \\ 10 \\ 12 \\ 14 \end{array}$	96.10	
					11	104.20	120 40
67	6	68.40	81.30		16	124 80	143.40
	8	74.10	87.60		16 18	135.70	154 90
	10	79.20	93.30		20	147.00	166.80
	12	91.30 98.60	106.00 113.90		22	170.00	197.30
	16	118 50	136.20		. 24	183.20	217.80
	8 10 12 14 16 18	128 90	147.20		26	198 50	240.50
	20	139,50	158.40		20 22 .24 26 28 30	214.80	264 30
	20 22 24 26	161.80	187.80			232.00	289.00
	24	175 00	208.20	71	6 8 10	73.80	87.90
	26	190.00	230 50		8	79.40	94.10
	28 30	205.80	253.50		10	84.80	100.10
	30	223 00	277.90		12 14	97.60 105.90	113.50
68	6	69.70	82.90		16	126.80	$\begin{array}{c c} 122.40 \\ 145.70 \end{array}$
00	8	75.40	89.20		18	137.80	157.30
	10	80 60	95.00		16 18 20 22	149.30	169 40
	12	93 00	108.00		22	172 40	200.00
	14	100.40	116.00		24	185.70	220.70
	16	120.60	138.60		26	201.00	243.60
	8 10 12 14 16 18 20	131.10	149.70		28 30	217.40	267.50
Name and Address of the Owner, where the Owner, which is the Own	20	142.00	161.20		1 30	234.80	292.40

Bored, turned and balanced, with set screws or key seats.

Diameter in Inches.	Width of Face in Inches.	Single Belt.	Double Belt.	Diameter in Inches.	Width of Face in Inches.	Single Belt.	Double Belt,
72	6 8 10 12 14 16 18 20 22 24 26 28 30	\$75.30 80.80 86.20 99.20 107.80 128.90 140.00 152.00 174.90 188.30 203.80 220.20 237.70	\$89.70 95.80 101.80 115.40 124.60 148.10 159.80 172.40 202.80 223.70 247.00 296.20	78 S4	24 26 28 30 10 12 14 16 18 20 22 24 26	\$204.40 220.40 237.50 255.60 109.10 123.60 133.00 155.50 168.00 205.80 220.40 237.00	\$242.80 266.90 292.10 318.30 128.90 143.40 155.00 180.90 213.40 238.80 261.80
75 76	10 12 14 16 18 20 22 24 26 28 30	91.20 104.50 113.30 134.90 146.50 159.40 182.70 196.50 212.20 229.00 247.00 93.10 106.40	107.40 121.30 130.70 154.70 166.90 180.40 211.50 233.00 256.90 281.50 307.60	90	28 30 10 12 14 16 18 20 22 24 26 28 30	254.80 271.50 140.50 150.40 160.80 188.70 201.00 215.30 247.00 262.00 278.00 295.60 313.50	313.00 338.40 161.50 172.00 183.60 213.90 226.80 241.70 282.70 306.40 331.10 357.40 384.30
	12 14 16 18 20 22 24 26 28 30	115,50 137,00 148,70 161,90 185,10 198,90 214,70 231,50 249,50	133.50 157.40 169.70 183.50 214.80 236.50 260.00 284.60 310.50	96	12 14 16 18 20 22 22 24 26	915,-01	191.00 210.00 245.60 265.00 286.00 324.00 346.00 367.00
78	10 12 14 16 18 20 22	96.60 110.50 119.70 141.40 153.00 167.00 190.50	114.00 128.50 138.30 163.00 175.20 189.80 221.10				

Bored, turned and balanced, with set screws or key seats.

Diameter in inches.	Width of Face in Inches.	Double Belt.	Diameter in Inches.	Width of Face in Inches.	Double Belt.	Diameter in Inches.	Width of Face in Inches.	Double Belt.
96	28	\$390 00	108	16	\$285 00	114	24	\$426 00
	30	410 00		18	309 00		26	452 00
102	12	209 00		20	333 00		28	478 00
102	14	230 00		22	375 00		30	505 00
	16	266 00		24	400 00			
				26	423 60	120	12	259 00
	18	286 00		28	448 00		14	284 00
				30	472 00		16	323 00
	22 24	349 00					18	348 00
		372 00	114	12	243 00		20	378 00
	26	395 00		14	266 00		22	423 00
	28	418 00		16	305 00	1	24	450 00
	30	440 00		18	330 00		26	480 00
108	12	225 00		20	356 00		28	510 00
	14	248 00		22	400 00		30	535 00

BOILERS. ENGINES. SHAFTING.








PURE OAK BELTING.

SEND FOR PRICE-LIST.



THE REEVES

Wood Split Pulley

ENGINES and BOILERS.

SEND FOR CATALOGUE.

ROBERTS FRICTION CLUTCH.

(SEE PAGES 8 AND 9.)